



MACHINE GUARDING

Product Catalog





INTRODUCTION

Our mission is to safeguard your business's future through unparalleled security fencing solutions. Specializing in protecting your people, equipment, and reputation, we understand the unique challenges and liabilities that company owners face in today's dynamic manufacturing environment.

We offer security barriers designed specifically for commercial applications. We recognize that the safety of your employees and assets goes beyond mere physical protection; it's about safeguarding your hard-earned success and preventing potentially libelous scenarios that could threaten your business's integrity and financial stability.

ReadyGuard is here to ensure that the future of your business is well-protected. Let us help you build a safer, more secure foundation for your company's continued growth and success.

Contact:


Al Seguin 678-860-0787
ASeguin@opbglobal.com

System utilizes a captive fastening system for both framed & frameless styles

Strong wire mesh creates impenetrable barrier



The vertical slots and black finish ensure excellent visibility through the mesh panels



Panels can be cut to size for custom installations



Framed Panels
Page 3

Frame-less Panels
Page 4

Doors
Page 5


Line & Gate Posts
Page 2



CHARLESTON, SC • HOUSTON, TX • KANSAS CITY, KS

LINE POSTS & DOOR POSTS

- Posts available in 6 & 8 ft heights
- All posts have captive fastening system
- Welded base flanges
- 50mm x 50mm square tube
- RAL 1021 Yellow



Adjustable angle post

LINE POSTS



Height (mm)	Height (Inches)	Color	Model #
1828 H	71.9" H	YELLOW	LP1828
2430 H	95.6" H	YELLOW	LP2430

DOOR POSTS

Height (mm)	Height (Inches)	Color	Model #
1828 H	71.9" H	YELLOW	DP1828
2430 H	95.6" H	YELLOW	DP2430


ADJUSTABLE ANGLE POSTS

Height (mm)	Height (Inches)	Color	Model #
1828 H	71.9" H	YELLOW	AP1828
2430 H	95.6" H	YELLOW	AP2430



FRAMED PANELS

- Stack panels up to 8 ft high
- 3mm galvanized wire with powder coat finish
- 100mm x 200mm mesh ▪ RAL 9005 Black




FRAMED PANELS

Width (mm)	Height (mm)	Width (Inches)	Height (Inches)	Color	Model #
200 W	600 H	7.8" W	23.6" H	BLACK	FP200X600
300 W	600 H	11.8" W	23.6" H	BLACK	FP300X600
700 W	600 H	27.5" W	23.6" H	BLACK	FP700X600
800 W	600 H	31.4" W	23.6" H	BLACK	FP800X600
1000 W	600 H	39.3" W	23.6" H	BLACK	P1000X600
1200 W	600 H	47.2" W	23.6" H	BLACK	FP1200X600
1500 W	600 H	59" W	23.6" H	BLACK	FP1500X600
200 W	1688 H	7.8" W	66.4" H	BLACK	FP200X1688
300 W	1688 H	11.8" W	66.4" H	BLACK	FP300X1688
700 W	1688 H	27.5" W	66.4" H	BLACK	FP700X1688
800 W	1688 H	31.4" W	66.4" H	BLACK	FP800X1688
1000 W	1688 H	39.3" W	66.4" H	BLACK	FP1000X1688
1200 W	1688 H	47.2" W	66.4" H	BLACK	FP1200X1688
1500 W	1688 H	59" W	66.4" H	BLACK	FP1500X1688

FRAMELESS PANELS

- Stack panels up to 8 ft high
- 4mm galvanized wire with powder coat finish
- 32mm x 68mm mesh ▪ RAL 9005 Black



FRAMELESS PANELS


Width (mm)	Height (mm)	Width (Inches)	Height (Inches)	Color	Model #
300 W	600 H	11.8" W	23.6" H	BLACK	UP300X600
600 W	600 H	23.6" W	23.6" H	BLACK	UP600X600
800 W	600 H	31.4" W	23.6" H	BLACK	UP800X600
1000 W	600 H	39.3" W	23.6" H	BLACK	UP1000X600
1200 W	600 H	47.2" W	23.6" H	BLACK	UP1200X600
1500 W	600 H	59" W	23.6" H	BLACK	UP1500X600
1800 W	600 H	70.8" W	23.6" H	BLACK	UP1800X600
2400 W	600 H	94.8" W	23.6" H	BLACK	UP2400X600
300 W	1688 H	11.8" W	66.4" H	BLACK	UP300X1688
600 W	1688 H	23.6" W	66.4" H	BLACK	UP600X1688
800 W	1688 H	31.4" W	66.4" H	BLACK	UP800X1688
1000 W	1688 H	39.3" W	66.4" H	BLACK	UP1000X1688
1200 W	1688 H	47.2" W	66.4" H	BLACK	UP1200X1688
1500 W	1688 H	59" W	66.4" H	BLACK	UP1500X1688
1800 W	1688 H	70.8" W	66.4" H	BLACK	UP1800X1688
2400 W	1688 H	94.4" W	66.4" H	BLACK	UP2400X1688

SLIDING & SWINGING DOORS


- Easy and secure passage to and from the enclosed area
- High quality hinges and rails
- RAL 9005 Black



Door Lock



Sliding Door



Swinging Door

FRAMED DOOR PANELS

Width (mm)	Height (mm)	Width (Inches)	Height (Inches)	Color	Model #
1000 W	1688 H	39.3" W	66.4" H	BLACK	FDP1000X1688
1200 W	1688 H	47.2" W	66.4" H	BLACK	FDP1200X1688
1500 W	1688 H	59" W	66.4" H	BLACK	FDP1500X1688
1000 W	2286 H	39.3" W	90" H	BLACK	FDP1000X2286
1200 W	2286 H	47.2" W	90" H	BLACK	FDP1200X2286
1500 W	2286 H	59" W	90" H	BLACK	FDP1500X2286

SWINGING DOOR KITS

Description	Color	Model #
SINGLE SWING DOOR KIT w/ HINGES AND HARDWARE	BLACK	SDK
DOUBLE SWING DOOR KIT w/ HINGES AND HARDWARE	BLACK	DDK
DOOR LOCK	BLACK	DL

DOOR SLIDE KITS

Description	Width (mm)	Width (Inches)	Model #
6FT SINGLE SLIDE DOOR KIT	1000MM OPENING	39.3" OPENING	SSDK1000
SINGLE SLIDE DOOR KIT	1200MM OPENING	47.2" OPENING	SSDK1200
SINGLE SLIDE DOOR KIT	1500MM OPENING	59" OPENING	SSDK1500
DOUBLE SLIDE DOOR KIT	2000MM OPENING	78.7" OPENING	DSDK2000
DOUBLE SLIDE DOOR KIT	2400MM OPENING	94.4" OPENING	SSDK2400
DOUBLE SLIDE DOOR KIT	3000MM OPENING	118.1" OPENING	SSDK3000
8FT SINGLE SLIDE DOOR KIT	1000MM OPENING	39.3" OPENING	SD8K1000
SINGLE SLIDE DOOR KIT	1200MM OPENING	47.2" OPENING	SSD8K1200
SINGLE SLIDE DOOR KIT	1500MM OPENING	59" OPENING	SSD8K1500
DOUBLE SLIDE DOOR KIT	2000MM OPENING	78.7" OPENING	DSD8K2000
DOUBLE SLIDE DOOR KIT	2400MM OPENING	94.4" OPENING	DSD8K2400
DOUBLE SLIDE DOOR KIT	3000MM OPENING	118.1" OPENING	DSD8K3000




INSTALLATION



The READYGUARD machine guarding system is easy to install. Both the Frame and frame-less panel can be cut to custom widths. Posts have installed captive thread system & welded flanges to mount securely to concrete floor.


TESTING



Framed panels and posts have been impact tested according to tests described in ISO 14120:2015 Annex C with impact energies 1600J.

Frame-less panels and posts have been impact tested according to tests described in ISO 14120:2015 Annex C with impact energies 1200J.





Al Seguin

National Sales Director - Safety and Security

Office | 800.607.6409

Mobile | 678.860.0787

ASeguin@opbglobal.com



**ORIGIN
POINT**

ORIGIN POINT BRANDS, LLC
1116 NEWTON WAY | SUMMERVILLE, SC 29483
800.607.6409
ORIGINPOINTBRANDS.COM